

	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
GS10000	Hydraulic (27)	0.21	8	19	390	405	160	
O.E.	4369120							
FSO	POLONEZ							30
GS10001	Hydraulic (27)	0.26	8	19	300	490	200	
O.E.								
JELZ	BERLIET							31
GS10002	Hydraulic (27)	0.25	8	19	200	502	200	
O.E.								
URSUS	FERGUSON							43
GS10003	Hydraulic (27)	0.21	8	19	150	405	160	
O.E.								
NIEMIADÓW	TRAILER							36
GS10004	Hydraulic (27)	0.25	8	19	400	509	200	
O.E.								
FSC	LUBLIN							30
	ŽUK							30
GS10005	Hydraulic (27)	0.14	8	19	130	239	78	
O.E.								
FSO	LUBLIN							30
GS10006	Hydraulic (27)	0.23	8	19	300	450	180	
O.E.	4392129, 39440480							
ZASTAVA	Z-101							46
	Z-128							46
GS10007	Dynamic (26)	0.28	8	19	400	502	200	
O.E.	2141-6306206, 7700 786 247, 7700 799 026							
MOSKOWICZ	2141							36
	2335							36
RENAULT	19							40
GS10009	Hydraulic (27)	0.26	8	19	420	509	200	
O.E.	441-9.6492-038.6							
SKODA	FAVORIT							42
	FAVORIT FORMAN							42
GS10010	Hydraulic (27)	0.21	8	19	150	398	160	
O.E.								
URSUS	FERGUSON							43
GS10011	Hydraulic (27)	0.13	8	19	130	219	78	
O.E.								
URSUS	FERGUSON							43
GS10012	Hydraulic (27)	0.28	8	19	230	550	212	
O.E.	7550938							
FIAT	126							27
GS10013	Hydraulic (27)	0.23	8	19	250	450	180	
O.E.								
KAROSA	BUS							31
GS10014	Hydraulic (27)	0.31	8	19	300	645	280	
O.E.								
KAROSA	BUS							31
GS10016	Hydraulic (27)	0.18	8	19	150	340	115	
O.E.								
CZAWDAR	BUS							26
GS10017	Hydraulic (27)	0.18	8	19	300	340	115	
O.E.								
CZAWDAR	BUS							26
GS10018	Hydraulic (27)	0.15	8	19	150	256	78	
O.E.								
CZAWDAR	BUS							26
GS10019	Hydraulic (27)	0.15	8	19	250	256	78	
O.E.								
CZAWDAR	BUS							26
GS10020	Hydraulic (27)	0.28	8	19	400	570	232	
O.E.								
CZAWDAR	BUS							26
GS10021	Hydraulic (27)	0.21	8	19	100	405	160	
O.E.								
LUGGAGE	HATCH							32
GS10022	Hydraulic (27)	0.13	8	19	130	232	79	
O.E.								
URSUS	CABIN							43
GS10023	Hydraulic (27)	0.22	8	19	500	405	160	
O.E.	41190, 041190, 77187, 077187							
FSO	CARO							30
	POLONEZ							30

	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
GS10024	Hydraulic (27)	0.29	8	19	150	600	250	
O.E.								
Bialoru	A37.05.050-01							21
GS10025	Dynamic (26)	0.20	8	19	600	365	140	
O.E.								
ZASTAVA	YUGO							46
GS10027	Hydraulic (27)	0.29	8	19	200	600	255	
O.E.	7552182580, 75 521 825, 4392130, 4426871, 39401990, 75521825, XO-39401990							
CITROËN	GS/GSA							25
FIAT	RITMO							28
GS10028	Hydraulic (27)	0.30	8	19	360	600	255	
O.E.	95492745, GX6714001B, 4392120, 5975342, 39462450, 7552182580, SE02252620A, XO-39440480, XO-39462450							
CITROËN	GS/GSA							25
FIAT	RITMO							28
GS10029	Hydraulic (27)	0.30	8	19	410	600	245	
O.E.	5935393, 5993542							
FIAT	UNO							28
	UNO ZZVan							28
GS10030	Hydraulic (27)	0.29	8	19	280	595	253	
O.E.	7587706							
FIAT	TIPO							28
GS10031	Hydraulic (27)	0.29	8	19	280	584	234	
O.E.	7671700, 7971700							
FIAT	TIPO							28
GS10032	Hydraulic (27)	0.27	8	19	350	549	229.5	
O.E.	4297742, 42977420, XO-42977420							
FIAT	127							27
	127							27
GS10033	Hydraulic (27)	0.28	8	19	240	549	229.5	
O.E.	4483685, 39661920, 44836580, SE028526200B, SE14523200A, XO-39553290, XO-44836580							
FIAT	PANDA (→01/03)							27
GS10034	Hydraulic (27)	0.19	8	19	190	362	135	
O.E.	4480656, 4480856, 4484653							
AUTOBIANCHI	A112							21
LANCIA	A112							32
GS10035	Hydraulic (27)	0.15	8	19	280	256	86	
O.E.	4405569							
FIAT	132							27
GS10036	Hydraulic (27)	0.29	8	19	500	600	250	
O.E.	4373385, 95496134, 95588254, 9558825480							
CITROËN	VISA							26
GS10037	Hydraulic (27)	0.29	8	19	290	600	230	
O.E.	9256119680							
PEUGEOT	205							38
GS10038	Hydraulic (27)	0.34	8	19	200	700	251	
O.E.	7700 756 056, 7702 144 629							
RENAULT	5 SUPER							40
GS10039	Hydraulic (27)	0.34	8	19	220	696	278	
O.E.	SE021526200A, XO39503120, XO-39503120, XO39507910, XO-39507910							
SEAT	IBIZA (→12/92)							41
GS10040	Hydraulic (27)	0.30	8	19	330	614	230	
O.E.	1637866, 84FBB406A10BB, 84FBB406A10DB							
FORD	FIESTA (09/83-11/89)							29
GS10041	Hydraulic (27)	0.23	8	19	340	450	175	
O.E.	2108-6308010 80, 2108-6308015, 2121-6308010							
LADA	SAMARA							32
GS10042	Hydraulic (27)	0.23	8	19	260	450	175	
O.E.	2121-6308015							
LADA	NIVA							31
GS10043	Hydraulic (27)	0.26	8	19	160	528	224	
O.E.								
SKODA	FAVORIT FORMAN							42
GS10044	Hydraulic (27)	0.29	8	19	280	587	237	
O.E.	043882, 01171783							
FSO	POLONEZ Truck							30
GS10045	Hydraulic (27)	0.23	8	19	220	460	170	
O.E.								
ZASTAVA	YUGO							46
GS10046	Hydraulic (27)	0.28	8	19	310	589	239	
O.E.								
ZASTAVA	YUGO							46

	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
--	-------------------	------------------	--------------------------	-----------------------------	-------------------	--------------------------	-------------	--

GS10047	Hydraulic (27)	0.15	8	19	180	256	86	
O.E.	21083, 4405569, 4411808							
FIAT	132							27
GS10048	Dynamic (26)	0.20	8	19	400	352	125	
O.E.								
NEOPLAN	N4009							37
	N4016							37
	N4020							37
GS10050	Hydraulic (27)	0.25	8	19	420	490	200	
O.E.								
JELZ	BERLIET							31
GS10052	Hydraulic (27)	0.27	8	19	355	549	232	
O.E.	132704, 90159607							
DAEWOO	NEXIA							26
OPEL	KADETT (E 84-91)							38
VAUXHALL	ASTRA (84-91)							43
GS10053	Dynamic (26)	0.24	8	19	530	473	184	
O.E.	132716, 90227936							
OPEL	VECTRA (A 88-95)							38
VAUXHALL	CAVALIER (88-95)							44
GS10054	Hydraulic (27)	0.29	8	19	320	600	250	
O.E.	96027543, 9602754380							
CITROËN	ZX							26
PRZYCZEPA	KIOSK							40
GS10055	Hydraulic (27)	0.29	8	19	200	585	250	
O.E.	4426871, 5948109, 39401990, XO-39401990							
FIAT	127							27
GS10058	Hydraulic (27)	0.25	8	19	220	515	206	
O.E.	441.5.6442-006.6							
SKODA	FAVORIT							42
GS10059	Hydraulic (27)	0.76	10	22	700	1000	450	
O.E.								
KIOSK	STANTA							31
GS10060	Hydraulic (27)	0.16	8	19	600	300	100	
O.E.								
SIPMA	LUBLIN							41
GS10061	Hydraulic (27)	0.26	8	19	260	509	212	
O.E.								
ORTIS	WARSZAWA							38
GS10062	Hydraulic (27)	0.60	10	22	1000	785	345	
O.E.								
ROOF	GATES							41
GS10063	Hydraulic (27)	0.22	8	19	190	405	160	
O.E.								
ORTIS	WARSZAWA							38
GS10064	Hydraulic (27)	0.22	8	19	230	405	160	
O.E.								
ORTIS	WARSZAWA							38
GS10065	Hydraulic (27)	0.34	8	19	325	700	300	
O.E.	441.5.6442-007.6							
SKODA	FAVORIT FORMAN							42
GS10066	Hydraulic (27)	0.22	8	19	300	406	160	
O.E.								
UNIVERSAL	Trokotex							43
GS10068	Hydraulic (27)	0.25	8	19	280	500	200	
O.E.	46784590, 191 827 550B, 191 882 7550A							
VOLKSWAGEN	GOLF (19E,1G1 06/84-10/91)							45
GS10070	Hydraulic (27)	0.28	8	19	380	550	229	
O.E.	7550172, 75501720							
FIAT	PANDA (→01/03)							27
GS10071	Hydraulic (27)	0.28	8	19	280	569	220	
O.E.	7636049, 76360490							
FIAT	UNO							28
GS10072	Hydraulic (27)	0.27	8	19	300	542	210	
O.E.	5981660, AFP1282							
FIAT	REGATA S.W.							28
GS10074	Hydraulic (27)	0.25	8	19	480	490	180	
O.E.	72551178, 82429686							
FIAT	CROMA							27
GS10075	Hydraulic (27)	0.26	8	19	450	527	210	
O.E.	441-9.6442-0.48.6, 441-9.6442-047.6, 6U0 827 551B							
SKODA	FAVORIT FORMAN							42
	FELICIA							42



	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
--	-------------------	------------------	--------------------------	-----------------------------	-------------------	--------------------------	-------------	--

GS10079	Hydraulic (27)	0.25	8	19	200	501	200	
O.E.								
ORTIS	WARSZAWA							38
GS10080	Dynamic (26)	0.20	8	19	550	405	160	
O.E.	1U9 827 550, 1U9 827 550B, 1U9 827 550C							
FSO	POLONEZ							30
SKODA	OCTAVIA COMBI							42
GS10081	Hydraulic (27)	0.34	8	19	260	700	300	
O.E.	21273							
FSO	POLONEZ Truck							30
GS10083	Hydraulic (27)	0.31	8	19	350	645	280	
O.E.								
KAROSA	BUS							31
GS10084	Hydraulic (27)	0.31	8	19	200	645	280	
O.E.								
KAROSA	BUS							31
GS10087	Hydraulic (27)	0.26	8	19	420	527	219	
O.E.	441-9.6442-047.6							
SKODA	FAVORIT FORMAN							42
	FELICIA							42
GS10088	Hydraulic (27)	0.34	8	19	350	700	300	
O.E.								
FSO	POLONEZ							30
GS10089	Dynamic (26)	0.24	8	19	350	500	212	
O.E.	1H6 827 550, 1H6 827 550A							
VOLKSWAGEN	GOLF (1H1/5 11/91-08/97)							45
GS10091	Hydraulic (27)	0.33	8	19	600	685.5	300	
O.E.								
KAROSA	LC757							31
GS10092	Hydraulic (27)	0.24	8	19	140	480	191	
O.E.								
SIAC	CABIN							41
GS10095	Hydraulic (27)	0.28	8	19	280	567.5	220	
O.E.	7636049							
FIAT	UNO							28
GS10097	Hydraulic (27)	0.60	10	22	420	726	280	
O.E.	81850A70B02-000							
DAEWOO	TICO							26
GS10098	Dynamic (26)	0.13	8	19	250	245.5	77	
O.E.								
URSUS	SPOMASZ							43
GS10100	Hydraulic (27)	0.34	8	19	200	700	300	
O.E.	21331							
FSO	POLONEZ							30
GS10101	Hydraulic (27)	0.26	8	19	350	509	212	
O.E.								
DREWCAR	ROOFWINDOW							26
GS10102	Hydraulic (27)	0.28	8	19	350	550	212	
O.E.	21333							
FSO	POLONEZ							30
GS10103	Dynamic (26)	0.26	8	19	450	527	219	
O.E.	6U0 827 551B							
SKODA	FELICIA							42
GS10104	Dynamic (26)	0.26	8	19	360	543.5	206	
O.E.	132724, 90481270							
OPEL	CORSA (03/93-09/00)							37
VAUXHALL	CORSA (03/93-09/00)							44
GS10105	Hydraulic (27)	0.31	8	19	430	645	280	
O.E.								
KAROSA	BUS							31
GS10110	Hydraulic (27)	0.34	8	19	325	700	300	
O.E.	441.66442.008.6							
SKODA	FELICIA Van Plus							42
GS10111	Hydraulic (27)	0.26	8	19	160	490	200	
O.E.								
JELZ	BUS							31
GS10113	Hydraulic (27)	0.32	10	22	1000	389	150	
O.E.								
HEATING	STOVE							31
GS10114	Hydraulic (27)	0.40	10	22	1000	500	200	
O.E.								
HEATING	STOVE							31



	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
GS10115	Hydraulic (27)	0.33	8	19	300	700	300	
O.E.								
AUTOSAN	BUS							21
GS10117	Hydraulic (27)	0.24	10	22	500	265	80	
O.E.								
STER	Pozna							42
GS10118	Hydraulic (27)	0.14	8	19	280	256	86	
O.E. 63397								
FSO	POLONEZ							30
GS10119	Hydraulic (27)	0.28	8	19	270	550	212	
O.E. 21377								
FSO	POLONEZ Truck							30
GS10120	Dynamic (26)	0.21	8	19	200	422	160	
O.E.								
ZETOR	CABIN							47
GS10122	Hydraulic (27)	0.33	10	22	700	398	160	
O.E.								
MILK	COOLER							36
GS10123	Hydraulic (27)	0.33	10	22	1000	398	160	
O.E.								
MILK	COOLER							36
GS10124	Hydraulic (27)	0.77	10	22	300	1000	450	
O.E.								
UNIVERSAL	Roof opener							43
GS10128	Dynamic (26)	0.21	8	19	500	405	160	
O.E. 77187								
FSO	POLONEZ							30
GS10129	Dynamic (26)	0.26	8	19	450	527	210	
O.E. 441-9.6442.047.6, 6U0 827 551A, 6U0 827 551B								
SKODA	FELICIA							42
GS10130	Hydraulic (27)	0.19	8	19	150	340	115	
O.E.								
JELZ	0405							31
GS10132	Hydraulic (27)	0.17	8	19	100	322	110	
O.E.								
ZETOR	CABIN							47
GS10133	Hydraulic (27)	0.28	8	19	200	587	237	
O.E. 21406								
FSO	POLONEZ Truck							30
GS10135	Hydraulic (27)	0.25	8	19	350	485	200	
O.E.								
ROTO-FRANK	ROOF WINDOW							41
GS10136								
O.E.								
ROTO-FRANK	ROOF WINDOW							41
GS10137	Hydraulic (27)	0.16	8	19	330	284	100	
O.E. 6K5 827 550, 6K5 827 550A, W06K5827550								
SEAT	CORDOBA							41
VOLKSWAGEN	POLO CLASSIC							46
GS10138	Dynamic (26)	0.18	8	19	200	322	110	
O.E.								
ZETOR	UR1 M92							47
GS10139	Hydraulic (27)	0.17	8	19	200	321	110	
O.E.								
ZETOR	CABIN							47
GS10140	Hydraulic (27)	0.21	8	19	200	420	160	
O.E.								
ZETOR	CABIN							47
GS10141	Hydraulic (27)	0.26	8	19	420	509	207	
O.E.								
ZETOR	CABIN							47
GS10142	Hydraulic (27)	0.25	8	19	420	509	200	
O.E.								
ZETOR	CABIN							47
GS10143	Hydraulic (27)	0.26	8	19	200	527	220	
O.E.								
ZETOR	CABIN							47
GS10144	Hydraulic (27)	0.26	8	19	100	527	219	
O.E.								
ZETOR	CABIN							47
GS10145	Hydraulic (27)	0.15	8	19	150	278	100	
O.E.								
ZETOR	CABIN							47

	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
GS10146	Hydraulic (27)	0.67	10	22	600	870	391	
O.E.								
AUTOSAN	BUS							21
GS10149	Dynamic (26)	0.25	8	19	370	515	202	
O.E. 7769737, 46783650								
FIAT	BRAVA (→05/02)							27
GS10150	Dynamic (26)	0.24	8	19	350	473	196	
O.E. 7774707, 77747070								
FIAT	BRAVO (→10/01)							27
GS10152	Hydraulic (27)	0.11	6	15	70	269	100	
O.E.								
ZETOR	FORTERRA							47
	UR1 M97							47
GS10153	Hydraulic (27)	0.21	8	19	390	405	160	
O.E.								
NADWOZIE	PRZYCZEPY							36
GS10154	Hydraulic (27)	0.25	8	19	480	499	207	
O.E. 171 827 550A								
VOLKSWAGEN	GOLF (04/74-12/85)							45
GS10155	Dynamic (26)	0.33	8	19	200	685	298	
O.E.								
ZETOR	FORTERRA							47
	UR1 M97							47
GS10156	Hydraulic (27)	0.15	8	19	150	278	100	
O.E.								
ZETOR	FORTERRA							47
	UR1 M97							47
GS10157	Hydraulic (27)	0.65	10	22	500	798	350	
O.E. 4424045, 44240450								
FIAT	DUCATO (82-94)							27
	TALENT0							28
GS10158	Dynamic (26)	0.22	8	19	600	405	160	
O.E. 77763								
FSO	POLONEZ							30
GS10159	Dynamic (26)	0.20	8	19	600	363	125	
O.E.								
NEOPLAN	BUS							37
GS10160	Hydraulic (27)	0.45	10	22	800	560	181	
O.E.								
NEOPLAN	BUS							37
GS10161	Hydraulic (27)	0.12	6	15	100	276	100	
O.E.								
SPOMASZ	Sokółka							42
GS10163	Dynamic (26)	0.28	8	19	350	591	240	
O.E. 132721, 90341282								
OPEL	ASTRA (91-98)							37
	ASTRA CLASSIC (01/98-08/02)							37
VAUXHALL	ASTRA (91-98)							44
GS10164	Dynamic (26)	0.28	8	19	210	569	242	
O.E. 46453503								
FIAT	SEICENTO							28
GS10165	Dynamic (26)	0.25	8	19	420	508	205	
O.E. 46420780								
FIAT	MAREA S.W.							27
GS10166	Dynamic (26)	0.22	8	19	300	445	180	
O.E. 7734566, 77345660								
FIAT	PUNTO (→00)							27
GS10168	Dynamic (26)	0.19	8	19	300	352	125	
O.E.								
NEOPLAN	N4009							37
	N4016							37
	N4020							37
GS10169	Dynamic (26)	0.19	8	19	150	352	125	
O.E.								
NEOPLAN	N4009							37
	N4016							37
	N4020							37
GS10170	Dynamic (26)	0.25	8	19	500	495	192	
O.E. 83BBA406A10AD								
FORD	SIERRA							30
GS10173	Hydraulic (27)	0.54	10	22	600	686	300	
O.E.								
NIEMIADÓW	TRAILER							36



	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
---	-------------------	------------------	--------------------------	-----------------------------	-------------------	--------------------------	-------------	---

<b>GS10174</b>	<b>Hydraulic (27)</b>	<b>0.28</b>	<b>8</b>	<b>19</b>	<b>210</b>	<b>569</b>	<b>242</b>	
O.E. 46453503, 46835404								
FIAT	SEICENTO							28
<b>GS10175</b>	<b>Dynamic (26)</b>	<b>0.24</b>	<b>8</b>	<b>19</b>	<b>560</b>	<b>469.5</b>	<b>171</b>	
O.E. 132727, 90463749								
OPEL	VECTRA (B 10/95-04/02)							38
VAUXHALL	VECTRA (10/95-04/02)							44
<b>GS10180</b>	<b>Hydraulic (27)</b>	<b>0.23</b>	<b>10</b>	<b>22</b>	<b>850</b>	<b>249</b>	<b>67</b>	
O.E. 1180402, 90463721								
OPEL	VECTRA (B 10/95-04/02)							38
VAUXHALL	VECTRA (10/95-04/02)							44
<b>GS10181</b>	<b>Hydraulic (27)</b>	<b>0.11</b>	<b>6</b>	<b>15</b>	<b>100</b>	<b>269</b>	<b>100</b>	
O.E.								
ZETOR	CABIN							47
<b>GS10182</b>	<b>Hydraulic (27)</b>	<b>0.14</b>	<b>6</b>	<b>15</b>	<b>150</b>	<b>375</b>	<b>150</b>	
O.E.								
ZETOR	CABIN							47
<b>GS10183</b>	<b>Dynamic (26)</b>	<b>0.26</b>	<b>8</b>	<b>19</b>	<b>570</b>	<b>519</b>	<b>200</b>	
O.E. 46524047, 46524049, 46524051								
FIAT	PALIO WEEKEND							27
<b>GS10184</b>	<b>Hydraulic (27)</b>	<b>0.24</b>	<b>8</b>	<b>19</b>	<b>420</b>	<b>473</b>	<b>180</b>	
O.E. 95324117, 95324119, 96306157, 96324117, 96324119								
DAEWOO	LANOS							26
<b>GS10185</b>	<b>Hydraulic (27)</b>	<b>0.09</b>	<b>6</b>	<b>15</b>	<b>50</b>	<b>195.5</b>	<b>60</b>	
O.E.								
ZETOR	CABIN							47
<b>GS10186</b>	<b>Dynamic (26)</b>	<b>0.24</b>	<b>8</b>	<b>19</b>	<b>350</b>	<b>472</b>	<b>191</b>	
O.E. 0132670, 132670, 0132671, 132671, 09114311, 9114311								
OPEL	CORSA (09/00-07/06)							37
VAUXHALL	CORSA (09/00-07/06)							44
<b>GS10187</b>	<b>Hydraulic (27)</b>	<b>0.12</b>	<b>8</b>	<b>19</b>	<b>280</b>	<b>220</b>	<b>86</b>	
O.E.								
URSUS	CABIN							43
<b>GS10188</b>	<b>Dynamic (26)</b>	<b>0.23</b>	<b>8</b>	<b>19</b>	<b>450</b>	<b>450</b>	<b>180</b>	
O.E. 81768								
FSO	POLONEZ							30
<b>GS10189</b>	<b>Hydraulic (27)</b>	<b>0.13</b>	<b>8</b>	<b>19</b>	<b>380</b>	<b>200</b>	<b>50</b>	
O.E.								
SUPPORT	Wspornik elementu konstrukcyjnego							43
<b>GS10190</b>	<b>Hydraulic (27)</b>	<b>0.48</b>	<b>10</b>	<b>22</b>	<b>650</b>	<b>600</b>	<b>250</b>	
O.E.								
NEOPLAN	BUS							37
<b>GS10191</b>	<b>Hydraulic (27)</b>	<b>0.47</b>	<b>10</b>	<b>22</b>	<b>800</b>	<b>600</b>	<b>250</b>	
O.E.								
NEOPLAN	BUS							37
<b>GS10194</b>	<b>Dynamic (26)</b>	<b>0.23</b>	<b>8</b>	<b>19</b>	<b>360</b>	<b>471</b>	<b>191</b>	
O.E. 7700 272 026, 7700 800 311								
RENAULT	CLIO (-98)							40
<b>GS10195</b>	<b>Dynamic (26)</b>	<b>0.25</b>	<b>8</b>	<b>19</b>	<b>500</b>	<b>500</b>	<b>204</b>	
O.E. 7700 818 237								
RENAULT	19							40
<b>GS10196</b>	<b>Dynamic (26)</b>	<b>0.17</b>	<b>8</b>	<b>19</b>	<b>290</b>	<b>324</b>	<b>115</b>	
O.E. 96298318, 96557530								
CHEVROLET	NUBIRA							24
DAEWOO	NUBIRA							26
<b>GS10197</b>	<b>Dynamic (26)</b>	<b>0.23</b>	<b>8</b>	<b>19</b>	<b>500</b>	<b>447</b>	<b>172</b>	
O.E. 96306833, 96557538								
CHEVROLET	NUBIRA							24
DAEWOO	NUBIRA							26
<b>GS10199</b>	<b>Dynamic (26)</b>	<b>0.25</b>	<b>8</b>	<b>19</b>	<b>270</b>	<b>496</b>	<b>188</b>	
O.E. 96314606, 96507773, 96518910, 96557539, 96563503, 96598008								
CHEVROLET	MATIZ							24
DAEWOO	MATIZ							26
<b>GS10200</b>	<b>Hydraulic (27)</b>	<b>0.26</b>	<b>8</b>	<b>19</b>	<b>220</b>	<b>528</b>	<b>224</b>	
O.E.								
SKODA	FELICIA							42
<b>GS10201</b>	<b>Dynamic (26)</b>	<b>0.17</b>	<b>8</b>	<b>19</b>	<b>300</b>	<b>340</b>	<b>115</b>	
O.E.								
FORKLIFT	CABIN							30
<b>GS10203</b>	<b>Dynamic (26)</b>	<b>0.25</b>	<b>8</b>	<b>19</b>	<b>480</b>	<b>500</b>	<b>204</b>	
O.E. 6K0 827 550, 6K0 827 550A, 5P0 827 550A								
SEAT	ALTEA (5P1 03/04→)							41
SEAT	CORDOBA Vario							41



	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
---	-------------------	------------------	--------------------------	-----------------------------	-------------------	--------------------------	-------------	---















<b>GS10203</b>	VOLKSWAGEN POLO Variant							46
<b>GS10204</b>	<b>Dynamic (26)</b>	<b>0.38</b>	<b>8</b>	<b>19</b>	<b>280</b>	<b>788</b>	<b>342</b>	
O.E. 000 980 2464, 000 980 2564, 000 980 3764								
MERCEDES	190							32
	190D							32
	190TD							32
<b>GS10205</b>	<b>Dynamic (26)</b>	<b>0.25</b>	<b>8</b>	<b>19</b>	<b>200</b>	<b>502</b>	<b>200</b>	
O.E.								
DAEWOO	HONKER							26
TARPAN	HONKER							43
<b>GS10206</b>	<b>Dynamic (26)</b>	<b>0.26</b>	<b>8</b>	<b>19</b>	<b>620</b>	<b>510</b>	<b>202</b>	
O.E. 132675, 90379081								
OPEL	OMEGA (B 02/94-07/03)							38
VAUXHALL	OMEGA (02/94-07/03)							44
<b>GS10207</b>	<b>Dynamic (26)</b>	<b>0.16</b>	<b>8</b>	<b>19</b>	<b>630</b>	<b>280</b>	<b>95.5</b>	
O.E. 893 827 552A, 8A5 827 552, 8A5 827 552A								
AUDI	80							19
	90							19
<b>GS10208</b>	<b>Hydraulic (27)</b>	<b>0.46</b>	<b>10</b>	<b>22</b>	<b>830</b>	<b>569</b>	<b>240</b>	
O.E. 701 829 331H								
VOLKSWAGEN	TRANSPORTER T4							46
<b>GS10209</b>	<b>Dynamic (26)</b>	<b>0.26</b>	<b>8</b>	<b>19</b>	<b>610</b>	<b>514.5</b>	<b>217</b>	
O.E. 251829331, 251829 331 A, 251829331A								
VOLKSWAGEN	TRANSPORTER T3							46
<b>GS10214</b>	<b>Dynamic (26)</b>	<b>0.29</b>	<b>8</b>	<b>19</b>	<b>430</b>	<b>602</b>	<b>252</b>	
O.E. 2111-8231010								
LADA	SAMARA							32
<b>GS10215</b>	<b>Dynamic (26)</b>	<b>0.23</b>	<b>8</b>	<b>19</b>	<b>460</b>	<b>450</b>	<b>170</b>	
O.E. 2111-8231010								
LADA	SAMARA 2112							32
<b>GS10216</b>	<b>Dynamic (26)</b>	<b>0.28</b>	<b>8</b>	<b>19</b>	<b>495</b>	<b>544</b>	<b>207</b>	
O.E. 6723080, 6900217, 93ABA406A10C1B								
FORD	ESCORT MK VI-VII							29
<b>GS10217</b>	<b>Dynamic (26)</b>	<b>0.26</b>	<b>8</b>	<b>19</b>	<b>635</b>	<b>500</b>	<b>170</b>	
O.E. 85GBA406A10CD								
FORD	SCORPIO							30
<b>GS10218</b>	<b>Dynamic (26)</b>	<b>0.20</b>	<b>8</b>	<b>19</b>	<b>390</b>	<b>402</b>	<b>160</b>	
O.E. 4A5 827 552								
AUDI	100							19
	A6 (4B→05)							20
	S4							20
	S6							20
<b>GS10220</b>	<b>Hydraulic (27)</b>	<b>0.34</b>	<b>8</b>	<b>19</b>	<b>670</b>	<b>700</b>	<b>300</b>	
O.E. 8731.00, 8731.E0								
CITROËN	BERLINGO (→03/08)							25
	BERLINGO (04/08→)							25
PEUGEOT	PARTNER (→03/08)							39
	PARTNER (04/08→)							39
<b>GS10237</b>	<b>Hydraulic (27)</b>	<b>0.31</b>	<b>8</b>	<b>18</b>	<b>450</b>	<b>647</b>	<b>279</b>	
O.E. 4A9 827 552, 800 823 359, 800 823 359B								
AUDI	100 Avant							19
	A6 AVANT (4B→05)							20
<b>GS10238</b>	O.E. 4A0 823 359B, 4A0 823 359C, 700 829 331G							
AUDI	100							19
	100 Avant							19
	S4							20
VOLKSWAGEN	PASSAT Variant (06/97-11/00)							45
<b>GS10239</b>	<b>Hydraulic (27)</b>	<b>0.28</b>	<b>8</b>	<b>18</b>	<b>500</b>	<b>575</b>	<b>230</b>	
O.E. 8A9 827 552D								
AUDI	80 Avant							19
<b>GS10240</b>	<b>Hydraulic (27)</b>	<b>0.16</b>	<b>8</b>	<b>18</b>	<b>580</b>	<b>280</b>	<b>96</b>	
O.E. 48 54 741, 48 54 758, 893 827 552, 8A5 827 552, 8A5 827 552A								
AUDI	80							19
<b>GS10241</b>	<b>Hydraulic (27)</b>	<b>0.25</b>	<b>8</b>	<b>18</b>	<b>350</b>	<b>500</b>	<b>211</b>	
O.E. 8L0 823 359								
AUDI	A3 (→03)							19
SEAT	AROSA							41
VOLKSWAGEN	BORA							45
	GOLF (1J1 08/97-05/06)							45
	GOLF (1E7 08/97-05/06)							45
	GOLF (1J5 05/99-05/06)							45
	LUPO							45



















	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
<b>GS10242 Hydraulic (27) 0.25 8 18 420 500 212</b>								
<b>O.E. 8D9 827 552</b>								
AUDI	A3 (→03)							19
	A4 (Avant →12/04)							20
<b>GS10245 Hydraulic (27) 0.34 8 18 310 722 316</b>								
<b>O.E. 8D0 823 354, 8D0 823 359, 8D0 823 359A</b>								
AUDI	A4 (→12/04)							19
	A4 (Avant →12/04)							20
	S4							20
<b>GS10246 Hydraulic (27) 0.16 8 18 530 279 100</b>								
<b>O.E. 1M5 827 550B, 3B5 827 550A, 3B5 827 550E, 8B5 827 550C, 8D5 827 552B, 8D5 827 552C, 8D5 827 552F, 8N0 823 359</b>								
AUDI	A4 (→12/04)							19
	S4							20
	TT							20
SEAT	TOLEDO (1M1 →06/06)							42
VOLKSWAGEN	BORA							45
	PASSAT (10/96-11/00)							45
	PASSAT (11/00-05/05)							45
	PASSAT (06/05-10/10)							45
<b>GS10247 Hydraulic (27) 0.35 8 18 325 722 315</b>								
<b>O.E. 8E0 823 359A</b>								
AUDI	A4 (→12/04)							19
	A4 (Avant →12/04)							20
<b>GS10248 Hydraulic (27) 0.15 8 18 630 278 100</b>								
<b>O.E. 4B5 827 552D</b>								
AUDI	A6 (4B→05)							20
<b>GS10249 Hydraulic (27) 0.34 8 18 300 722 324</b>								
<b>O.E. 4B0 823 359C</b>								
AUDI	A6 (4B→05)							20
	A6 AVANT (4B→05)							20
	ALLROAD							20
<b>GS10250 Hydraulic (27) 0.17 8 18 610 295 90</b>								
<b>O.E. 5124 226 4448</b>								
BMW	316i							21
	316i							21
	318i							21
	318i							21
	318tds							21
	318tds							22
	320i							22
	320i							22
	323i							22
	323i							22
	325i							22
	325i							22
	325tds							22
	325tds							22
	328i							23
	328i							23
<b>GS10251 Hydraulic (27) 0.16 8 18 480 295 90</b>								
<b>O.E. 5123 1960 862, 5124 1960 862, 5124 8151 579</b>								
BMW	316i							21
	316i							21
	318i							21
	318i							21
	318tds							21
	318tds							22
	320i							22
	320i							22
	323i							22
	323i							22
	325i							22
	325i							22
	325tds							22
	325tds							22
	328i							23
	328i							23
	M3							24
<b>GS10252 Hydraulic (27) 0.16 6 15 280 415 171</b>								
<b>O.E. 5123 811 9558</b>								
BMW	316i							21
	316i							21
	318i							21

	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
<b>GS10252</b>								
BMW	318i							21
	318tds							21
	318tds							21
	320i							22
	320i							22
	323i							22
	323i							22
	325i							22
	325i							22
	325tds							22
	325tds							22
	328i							23
	328i							23
	M3							24
<b>GS10253 Hydraulic (27) 0.17 8 18 580 316 120</b>								
<b>O.E. 5123 820 2688</b>								
BMW	316i							23
	316i							23
	318i							23
	318i							23
	318d							23
	318d							23
	320i							23
	320i							23
	320d							23
	320d							23
	323i							23
	323i							23
	325i							23
	325i							23
	328i							23
	328i							23
	330i							24
	330i							24
	330d							24
	330d							24
	330xd							24
	330xd							24
<b>GS10254 Hydraulic (27) 0.26 8 18 450 543 210</b>								
<b>O.E. 5124 823 2873</b>								
BMW	316i							23
	318i							23
	318d							23
	320i							23
	320d							23
	323i							23
	325i							23
	328i							23
	330i							24
	330d							24
	330xd							24
<b>GS10255 Hydraulic (27) 0.30 8 18 355 610 236</b>								
<b>O.E. 9618119180, 8731.C0</b>								
CITROËN	SAXO							26
<b>GS10256 Hydraulic (27) 0.31 8 18 360 625 251</b>								
<b>O.E. 8731.E3, 96219076</b>								
CITROËN	XSARA							26
<b>GS10257 Hydraulic (27) 0.24 8 18 300 460 171</b>								
<b>O.E. 7925.11, 96296189</b>								
CITROËN	XSARA							26
	XSARA							26
<b>GS10258 Hydraulic (27) 0.31 8 18 410 660 270</b>								
<b>O.E. 8731.E4, 9620677480</b>								
CITROËN	XSARA							26
<b>GS10260 Hydraulic (27) 0.25 8 18 380 506 200</b>								
<b>O.E. 46784995</b>								
FIAT	STILO							28
<b>GS10261 Hydraulic (27) 0.22 8 18 460 440 169</b>								
<b>O.E. 46784994</b>								
FIAT	STILO							28
<b>GS10262 Hydraulic (27) 0.30 8 18 740 603 220</b>								
<b>O.E. 46762434, 51709681, 51736743, 51736744</b>								
FIAT	STILO							28







	<b>Damping Type</b> (49)	<b>Weight (kg)</b> (50)	<b>Piston Rod Diameter</b> (51)	<b>Cylinder Tube Diameter</b> (52)	<b>Force (N) F1</b> (53)	<b>Max Extended Length</b> (54)	<b>Stroke</b> (55)	
--	--------------------------	-------------------------	---------------------------------	------------------------------------	--------------------------	---------------------------------	--------------------	---



GS10263	Hydraulic (27)	0.28	8	18	275	575	231
O.E. 1640342, 1640344, 6079115, 6082958, 6094514, 6150464, 6158308, 6158311, 81ABB406A10BB, 81ABB406A10GA, 86ABB406A10BA, 86ABB406A10GA							
FORD	ESCORT MK III-IV 						29
GS10266	Hydraulic (27)	0.30	8	18	575	625	265
O.E. 1218538, 1251915, 2S51B406A10AB, 2S51B406A10AC							
FORD	FIESTA MK V						29
GS10267	Hydraulic (27)	0.29	8	18	450	600	226
O.E. 6025 003 038, 6025 003 039							
FORD	FIESTA MK V						29
RENAULT	ESPACE (85-92 J11)						40
GS10269	Hydraulic (27)	0.24	8	18	655	465	148
O.E. 1070024, 1074368, 1150277, 1150279, XS41A406A10AE, XS41A406A10AF, XS41A40G1A0AE							
FORD	FOCUS (CAK 98-11/04) 						29
GS10270	Hydraulic (27)	0.15	8	18	465	280	85
O.E. 1071732, 1072394, 1092108, 1114031, 1124003, XS41F406A10AC, XS41F406A10AD, XS41F406A10AE							
FORD	FOCUS (CAK 98-11/04) 						29
GS10272	Hydraulic (27)	0.25	8	18	530	505	206
O.E. 1071669, 1079800, 1093705, XS41N406A10AD, XS41N406A10AE							
FORD	FOCUS (CAK 98-11/04) 						29
GS10273	Hydraulic (27)	0.27	8	18	500	556	205
O.E. 1212586, 2N11N406A10AD							
FORD	FUSION						29
GS10274	Hydraulic (27)	0.16	8	18	560	300	105
O.E. 117246, 1S 71 F406 A10 AB							
FORD	MONDEO (10/00-08/07) 						29
GS10275	Hydraulic (27)	0.25	8	18	640	485	201
O.E. 6777159, 6934502, 93BBN406A10AC							
FORD	MONDEO (-10/00) 						29
GS10276	Hydraulic (27)	0.27	8	18	515	552	210
O.E. 1020155, 6764342, 6973382, 7020592, 93BBA406A10AD, 93BBA406A10AE							
FORD	MONDEO (-10/00) 						29
GS10277	Hydraulic (27)	0.27	8	18	560	550	226
O.E. 1020156, 7020593, 93BBA406A10BC, 93BBA406A10BD							
FORD	MONDEO (-10/00) 						29
GS10278	Hydraulic (27)	0.32	8	18	480	677	293
O.E. 4378216, 2T14V406A10AB							
FORD	TRANSIT CONNECT						30
GS10279	Hydraulic (27)	0.44	10	22	850	550	241
O.E. 6142658, 86VBV406A10CA							
FORD	TRANSIT						30
GS10283	Hydraulic (27)	0.25	8	18	460	515	210
O.E. 74820-ST3-E010, 74820-ST3-E02, 74820-ST3-E510, 74820-ST3-E52							
HONDA	CIVIC						31
GS10284	Hydraulic (27)	0.57	10	22	400	727	280
O.E. 04741-S2H-010, 04746-S2H-010							
HONDA	HR-V						31
GS10286	Hydraulic (27)	0.70	10	27	530	775	332
O.E. 638 980 0464							
MERCEDES	VITO (W638 ->07/03)						35
	V200						35
	V200CDI						35
	V220CDI						35
	V230						35
	V230TD						35
	V280						35
GS10289	Hydraulic (27)	0.22	8	18	350	438	165
O.E. 176605, 90379054							
OPEL	OMEGA (B 02/94-07/03) 						38
VAUXHALL	OMEGA (02/94-07/03) 						44
GS10291	Hydraulic (27)	0.11	6	15	45	306	121
O.E. 176387, 90463253							
OPEL	VECTRA (B 10/95-04/02) 						38
VAUXHALL	VECTRA (10/95-04/02) 						44
GS10294	Hydraulic (27)	0.15	8	18	520	265	90
O.E. 176607, 9177081							
OPEL	VECTRA (C 04/02-*) 						38
VAUXHALL	VECTRA (04/02-*) 						44
GS10296	Hydraulic (27)	0.29	8	18	350	595	252
O.E. 8731.85, 8731.91							
PEUGEOT	106						38

































GS10297	Hydraulic (27)	0.23	8	18	425	463	200
O.E. 7925.15							
PEUGEOT	307						39
GS10298	Hydraulic (27)	0.19	10	22	1100	195	55
O.E. 7925.07, 2870400, 9628157780, 9630662480, 8731.A7							
PEUGEOT	406 						39
	406 						39
	406 						39
GS10299	Hydraulic (27)	0.29	8	18	300	600	261
O.E. 8731.93							
PEUGEOT	306 						39
GS10300	Hydraulic (27)	0.16	8	18	290	285	105
O.E. 8731.A2							
PEUGEOT	306 						39
GS10301	Hydraulic (27)	0.30	8	18	400	625	260
O.E. 8731.E1							
PEUGEOT	306 						39
GS10302	Hydraulic (27)	0.28	8	18	550	560	201
O.E. 8731.C5							
PEUGEOT	406 						39
GS10305	Hydraulic (27)	0.21	8	18	340	412	165
O.E. 7700 842 256							
RENAULT	CLIO (98-05/05) 						40
GS10306	Hydraulic (27)	0.54	10	22	630	690	300
O.E. 90450-00QAA, 7700 303 186							
NISSAN	KUBISTAR						36
RENAULT	KANGOO (03/98-01/08)						40
	KANGOO EXPRESS						40
GS10308	Hydraulic (27)	0.29	8	18	440	595	215
O.E. 7700 823 271, 7700 829 764, 7700 842 152, 7700 842 153							
RENAULT	LAGUNA (→03/01) 						40
GS10309							
O.E. 7700 828 451, 7700 843 698							
RENAULT	MEGANE (→03) 						40
GS10310	Hydraulic (27)	0.21	8	18	500	417	155
O.E. 8200 051 750							
RENAULT	MEGANE (11/02-11/08) 						41
GS10311	Hydraulic (27)	0.29	8	18	515	595	260
O.E. 7700 828 454							
RENAULT	MEGANE SCENIC						41
	SCENIC (JA0/1 →08/03)						41
GS10312	Hydraulic (27)	0.16	8	18	420	300	105
O.E. 7700 838 487, 7700 838 690							
RENAULT	MEGANE (→03) 						40
GS10313	Hydraulic (27)	0.22	8	18	740	452	182
O.E. 7700 815 135							
RENAULT	TWINGO (03/96-06/07)						41
GS10316	Hydraulic (27)	0.22	8	18	600	440	169
O.E. 6Y0 827 550A							
SKODA	FABIA (→02/07) 						42
	FABIA (→02/07)    						42
GS10317							
O.E. 1U6 827 550B, 1U6 827 550C							
SKODA	OCTAVIA 						42
GS10318	Hydraulic (27)	0.28	8	18	100	586	245
O.E. 81851-65D00, 81851-67D00, 81851-68D10							
SUZUKI	VITARA						43
GS10323	Hydraulic (27)	0.54	10	22	600	573	192
O.E. 68950-19785, 68950-19795							
TOYOTA	COROLLA (EE10 92-97) 						43
GS10324	Hydraulic (27)	0.54	10	22	600	573	192
O.E. 68960-19475, 68960-19485							
TOYOTA	COROLLA (EE10 92-97) 						43
GS10327	Hydraulic (27)	0.36	8	18	300	750	341.5
O.E. 30819865							
VOLVO	S40						46
	V40						46
GS10328	Hydraulic (27)	0.16	8	18	490	300	103
O.E. 852059, 30852059							
VOLVO	S40						46
GS10329	Dynamic (26)	0.29	8	18	320	602	230
O.E. 803472, 30803472							
VOLVO	V40						46



	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
<b>GS10330</b>	<b>Hydraulic (27)</b>	<b>0.25</b>	<b>8</b>	<b>18</b>	<b>350</b>	<b>500</b>	<b>209</b>	
O.E. 1J0 823 359 B, 1J0 823 359 C, 1J0 823 359 D, 810 823 359, 810 823 359 B								
VOLKSWAGEN	BORA							45
<b>GS10332</b>								
O.E. 2K0 827 550, 2K0 827 550A								
VOLKSWAGEN	CADDY (02/04-08/10)							45
	CADDY (08/10→)							45
<b>GS10333</b>	<b>Hydraulic (27)</b>	<b>0.25</b>	<b>8</b>	<b>18</b>	<b>350</b>	<b>500</b>	<b>212</b>	
O.E. 1H6 827 550, 1H6 827 550A								
VOLKSWAGEN	GOLF (1H1/5 11/91-08/97)							45
<b>GS10334</b>	<b>Hydraulic (27)</b>	<b>0.25</b>	<b>8</b>	<b>18</b>	<b>500</b>	<b>500</b>	<b>210</b>	
O.E. 1J6 827 550, 1J6 827 550C, 1J6 827 550E								
VOLKSWAGEN	BORA							45
	GOLF (1J1 08/97-05/06)							45
	GOLF (1J5 05/99-05/06)							45
	PASSAT Variant (11/00-05/05)							46
<b>GS10335</b>	<b>Hydraulic (27)</b>	<b>0.35</b>	<b>8</b>	<b>18</b>	<b>240</b>	<b>730</b>	<b>321</b>	
O.E. 1K0 823 359A								
VOLKSWAGEN	GOLF (1K1 10/03-09/09)							45
<b>GS10336</b>								
O.E. 1K6 827 550D, 1K6 827 550F								
VOLKSWAGEN	GOLF (1K1 10/03-09/09)							45
<b>GS10338</b>	<b>Hydraulic (27)</b>	<b>0.35</b>	<b>8</b>	<b>18</b>	<b>300</b>	<b>722</b>	<b>315</b>	
O.E. 3B0 823 359C								
VOLKSWAGEN	PASSAT Variant (11/00-05/05)							46
<b>GS10340</b>	<b>Hydraulic (27)</b>	<b>0.16</b>	<b>8</b>	<b>18</b>	<b>520</b>	<b>275</b>	<b>102</b>	
O.E. 8B5 827 550A, 8D5 827 552C, 8D5 827 552F								
VOLKSWAGEN	BORA							45
	PASSAT (10/96-11/00)							45
<b>GS10341</b>	<b>Hydraulic (27)</b>	<b>0.25</b>	<b>8</b>	<b>18</b>	<b>470</b>	<b>500</b>	<b>206</b>	
O.E. 3B5 827 550								
VOLKSWAGEN	PASSAT Variant (06/97-11/00)							45
<b>GS10342</b>	<b>Hydraulic (27)</b>	<b>0.22</b>	<b>8</b>	<b>18</b>	<b>340</b>	<b>430</b>	<b>196</b>	
O.E. 6N0 827 550, 6N0 827 550A								
VOLKSWAGEN	POLO (94-99)							46
<b>GS10344</b>	<b>Hydraulic (27)</b>	<b>0.25</b>	<b>8</b>	<b>18</b>	<b>380</b>	<b>500</b>	<b>201</b>	
O.E. 6Q6 827 550, 6Q6 827 550A								
VOLKSWAGEN	POLO							46
<b>GS10345</b>	<b>Hydraulic (27)</b>	<b>0.58</b>	<b>10</b>	<b>27</b>	<b>830</b>	<b>593</b>	<b>210</b>	
O.E. 1094814, 95VVW442K08AE, 95VVW442K08AG, 7M0 827 550F, 7M0 827 550G								
FORD	GALAXY							30
SEAT	ALHAMBRA							41
VOLKSWAGEN	SHARAN							46
<b>GS10347</b>	<b>Hydraulic (27)</b>	<b>0.75</b>	<b>10</b>	<b>27</b>	<b>970</b>	<b>755</b>	<b>215</b>	
O.E. 7H0 827 550								
VOLKSWAGEN	TRANSPORTER T5							46
<b>GS10348</b>	<b>Hydraulic (27)</b>	<b>0.51</b>	<b>10</b>	<b>22</b>	<b>340</b>	<b>587</b>	<b>247</b>	
O.E. B28C-62-620, B28C-62-620A, B28C62620B, B28C-62-620C								
MAZDA	323 (BJ 09/98-05/04)							32
<b>GS10349</b>	<b>Hydraulic (27)</b>	<b>0.51</b>	<b>10</b>	<b>22</b>	<b>340</b>	<b>587</b>	<b>247</b>	
O.E. B28C-63-620, B28C-63-620A, B28C63620B, B28C-63-620C								
MAZDA	323 (BJ 09/98-05/04)							32
<b>GS10350</b>	<b>Hydraulic (27)</b>	<b>0.51</b>	<b>10</b>	<b>22</b>	<b>500</b>	<b>585</b>	<b>247</b>	
O.E. G14S62620, G14S62620B, G14S62620C, G14S62620D, G14S62620E								
MAZDA	626 (02/98-10/02 GW)							32
<b>GS10351</b>	<b>Hydraulic (27)</b>	<b>0.51</b>	<b>10</b>	<b>22</b>	<b>500</b>	<b>585</b>	<b>247</b>	
O.E. G14S63620, G14S63620B, G14S63620C, G14S63620D, G14S63620E								
MAZDA	626 (02/98-10/02 GW)							32
<b>GS10352</b>	<b>Hydraulic (27)</b>	<b>0.59</b>	<b>10</b>	<b>22</b>	<b>570</b>	<b>610</b>	<b>265</b>	
O.E. GE4V-62-620C, GE4V-62-620D								
MAZDA	626 (02/98-10/02 GF)							32
<b>GS10353</b>	<b>Hydraulic (27)</b>	<b>0.59</b>	<b>10</b>	<b>22</b>	<b>570</b>	<b>610</b>	<b>265</b>	
O.E. GE4V-63-620C, GE4V-63-620D								
MAZDA	626 (02/98-10/02 GF)							32
<b>GS10354</b>	<b>Hydraulic (27)</b>	<b>0.37</b>	<b>8</b>	<b>18</b>	<b>355</b>	<b>485</b>	<b>200</b>	
O.E. 90450-0N000								
NISSAN	ALMERA (→03/00)							36
<b>GS10355</b>	<b>Hydraulic (27)</b>	<b>0.37</b>	<b>8</b>	<b>18</b>	<b>355</b>	<b>485</b>	<b>200</b>	
O.E. 90451-0N000								
NISSAN	ALMERA (→03/00)							36
<b>GS10356</b>	<b>Dynamic (26)</b>	<b>0.24</b>	<b>8</b>	<b>18</b>	<b>530</b>	<b>500</b>	<b>213</b>	
O.E. 68950-05040, 68950-09080, 68960-09050								
TOYOTA	AVENSIS (T22 11/97-04/03)							43















	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
GS10357	Hydraulic (27)	0.58	10	22	410	618	223	
O.E. 68960-19545								
TOYOTA	COROLLA ( _E10_ 05/92-04/97) Compact							43
GS10358	Hydraulic (27)	0.58	10	22	410	618	223	
O.E. 68960-19855								
TOYOTA	COROLLA ( _E10_ 05/92-04/97) Compact							43
GS10359	Hydraulic (27)	0.58	10	22	425	630	243	
O.E. 68960-19625, 68960-19626								
TOYOTA	COROLLA ( _E10_ 05/92-04/97) Liftback							43
GS10360	Hydraulic (27)	0.58	10	22	425	630	243	
O.E. 68950-80046, 68950-80048								
TOYOTA	COROLLA ( _E10_ 05/92-04/97) Liftback							43
GS10361	Hydraulic (27)	0.45	10	22	400	475	205	
O.E. 68950-80055								
TOYOTA	COROLLA ( _E11_ 05/92-04/97) Liftback							43
GS10362	Hydraulic (27)	0.45	10	22	400	475	205	
O.E. 6896019685								
TOYOTA	COROLLA ( _E11_ 05/92-04/97) Liftback							43
GS10363	Hydraulic (27)	0.32	8	18	255	505	210	
O.E. 68950-05925								
TOYOTA	YARIS (04/99-11/05) 							43
GS10364	Hydraulic (27)	0.32	8	18	255	505	210	
O.E. 68960-05925								
TOYOTA	YARIS (04/99-11/05) 							43
GS10365	Dynamic (26)	0.32	8	18	430	637	172	
O.E. 68960-05925								
CADILLAC	ESCALADE (10/06→)							24
GS10366	Hydraulic (27)	0.50	10	22	650	627	244	
O.E. 15057528, 15057529, 15766375, 15766376, 15983922, 25684448								
CADILLAC	ESCALADE (→10/06)							24
CHEVROLET	BLAZER (K5/GMT400)							24
	ESCALADE (GMT400/800)							24
	SUBURBAN							25
	TAHOE (GMT800)							25
GMC	SUBURBAN							31
	YUKON							31
GS10367	Hydraulic (27)	0.48	10	22	1085	580	200	
O.E. 15057528, 15057529, 15827433, 15854712								
CADILLAC	ESCALADE (10/06→)							24
CHEVROLET	ESCALADE (GMT900)							24
GS10368	Hydraulic (27)	0.42	8	22	680	565	190	
O.E. 10100921								
BUICK	ROADMASTER (01/91-12/96)							24
CHEVROLET	CAPRICE							24
	IMPALA SS							24
OLDSMOBILE	CUSTOM CRUISER							37
GS10369	Hydraulic (27)	0.30	8	18	300	518	209	
O.E. 92055333								
HOLDEN	CAPRICE (WL 08/04-07/06)							31
GS10370	Hydraulic (27)	0.30	8	18	240	518	209	
O.E. 92047416								
HOLDEN	CAPRICE (WL 08/04-07/06)							31
PONTIAC	GTO							39
GS10371	Hydraulic (27)	0.18	6	15	160	505	215	
O.E. 15161943, 15161944								
CADILLAC	ESCALADE (10/06→)							24
CHEVROLET	ESCALADE (GMT900)							24
GS10372	Hydraulic (27)	0.24	8	18	270	484	204	
O.E. 92155813								
HOLDEN	CAPRICE (WM 07/06→)							31
GS10373	Hydraulic (27)	0.24	8	18	300	484	204	
O.E. 92162119								
HOLDEN	CAPRICE (WM 07/06→)							31
GS10374	Hydraulic (27)	0.23	8	18	378	448	160	
O.E. 15029087, 15029088, 15645318, 15692315, 15692316, 15692317, 15692318, 15983921, 15983922								
CADILLAC	ESCALADE (→10/06)							24
CHEVROLET	BLAZER (K5/GMT400)							24
	ESCALADE (GMT400/800)							24
	SUBURBAN							25
	TAHOE (GMT400)							25
	TAHOE (GMT800)							25
GMC	SUBURBAN							31
								GS10374



	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
---	-------------------	------------------	--------------------------	-----------------------------	-------------------	--------------------------	-------------	---

... GS10374								
GMC	YUKON	31						
OLDSMOBILE	BRAVADA	37						
GS10375	Hydraulic (27)	0.17	8	15	530	364	90	
O.E. F3AZ16C826A, F3AZ16C826B, F8VZ16C826AA, F8VZ16C826BA								
FORD	CROWN VICTORIA	28						
LINCOLN	TOWN CAR	32						
MERCURY	GRAND MARQUIS	35						
GS10376	Hydraulic (27)	0.18	8	18	600	340	131	
O.E. 6W7Z16C826AA, F8AB16C826AA, F8AZ16C826AA								
FORD	CROWN VICTORIA	28						
MERCURY	GRAND MARQUIS	35						
	MARAUDER	36						
GS10377	Dynamic (26)	0.25	8	18	700	455	130	
O.E. 1313218, 3M51A406A10AB								
FORD	FOCUS (CAK 98-11/04) 	29						
GS10380	Dynamic (26)	0.29	8	18	500	573	236	
O.E. 132739, 90559245								
OPEL	ASTRA (09/98-03/04) 	37						
VAUXHALL	ASTRA (09/98-03/04) 	44						
GS10381	Dynamic (26)	0.15	6	15	320	366	155	
O.E. 5123 1960 852								
BMW	316i    	21						
	316i 	21						
	318i    	21						
	318i 	21						
	318tds    	21						
	318tds 	22						
	320i    	22						
	320i 	22						
	323i    	22						
	323i 	22						
	325i    	22						
	325i 	22						
	325tds    	22						
	325tds 	22						
	328i    	23						
	328i 	23						
GS10383	Dynamic (26)	0.27	8	18	585	535	210	
O.E. 1120611, 1135826, 1145205, 1219986, 1S71A406A10CA, 1S71A406A10CC, 1S71A406A10CD								
FORD	MONDEO (10/00-08/07) 	29						
GS10384	Dynamic (26)	0.28	8	18	590	545	210	
O.E. 132742, 90579440, 93366134								
OPEL	ZAFIRA (→07/05)	38						
VAUXHALL	ZAFIRA (→07/05)	44						
GS10385	Dynamic (26)	0.24	8	18	530	483	199	
O.E. 1321021, 1502096, 4M51A406A10AB, 8M51A406A10AB								
FORD	FOCUS (CAP 11/04-02/08) 	29						
GS10387	Dynamic (26)	0.25	8	18	535	485	200	
O.E. 68950-05060, 68950-05061, 68950-09140, 68950-09310, 68950-05060, 68950-05061, 68950-09090								
TOYOTA	AVENSIS (T25 04/03-01/09) 	43						
GS10389	Dynamic (26)	0.25	8	18	330	472	190	
O.E. 46744596								
FIAT	PUNTO (99-01/12)	27						
GS10390	Dynamic (26)	0.22	8	18	700	418	155	
O.E. 8731.83, 9601430480, 9612504980								
PEUGEOT	405 	39						
GS10391	Dynamic (26)	0.30	8	18	510	595	225	
O.E. 7700 846 772, 7700 846 773								
RENAULT	LAGUNA (→03/01) 	40						
GS10392	Dynamic (26)	0.29	8	18	360	565	230	
O.E. 0132725, 132725, 90388707, 903887017								
OPEL	CORSA (03/93-09/00)	37						
VAUXHALL	CORSA (03/93-09/00)	44						
GS10393	Dynamic (26)	0.28	8	18	285	576	250	
O.E. 1008276, 1008277, 69655595, 6FBB406A10BA, 93FBB406A10BA, 96FBB406A10AA								
FORD	FIESTA (04/93-12-95)	29						
FORD	FIESTA Mk IV	29						
MAZDA	121 (DW 03/96-07/03)	32						










	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
---	-------------------	------------------	--------------------------	-----------------------------	-------------------	--------------------------	-------------	---

GS10395	Dynamic (26)	0.28	10	22	620	614	258	
O.E. 0132713, 90127137, 90138517								
OPEL	CORSA (09/82-03/93) 						37	
VAUXHALL	NOVA 						44	
GS10398	Dynamic (26)	0.25	8	18	590	520	180	
O.E. 8200 174 571, 8200 377 199								
RENAULT	SCENIC (08/03-01/09)						41	
GS10399	Dynamic (26)	0.25	8	18	530	523	215	
O.E. 90450-BU000								
NISSAN	ALMERA TINO						36	
GS10401	Dynamic (26)	0.26	8	18	625	520	180	
O.E. 8200 119 500, 8200 372 199, 8200 377 789, 8200 484 676, 8200 616 559								
RENAULT	SCENIC (08/03-01/09)						41	
GS10402	Dynamic (26)	0.26	8	18	520	538	200	
O.E. 0176726, 176726, 5132262, 13241975, 90086999, 93386999, 93555936								
OPEL	MERIVA (→05/10)						38	
VAUXHALL	MERIVA (→05/10)						44	
GS10403	Dynamic (26)	0.24	8	18	560	473	194	
O.E. 132681, 132715, 0132757, 9152393, 90227934								
OPEL	ASTRA (03/04-11/09) 						37	
VAUXHALL	VECTRA (A 88-95) 						38	
	VECTRA (B 10/95-04/02) 						38	
	ASTRA (03/04-11/09) 						44	
	CAVALIER (88-95) 						44	
	VECTRA (10/95-04/02) 						44	
GS10404	Dynamic (26)	0.71	8	18	400	540	230	
O.E. 168 980 0164, 168 980 0964, 168 980 1164, 168 980 1264								
MERCEDES	A140						32	
	A160						32	
	A160CDI						32	
	A170CDI						32	
	A190						32	
	A210						33	
GS10405	Dynamic (26)	0.26	8	18	430	535	229	
O.E. 0132677, 132677, 90521517								
OPEL	ASTRA (09/98-03/04) 						37	
VAUXHALL	ASTRA (09/98-03/04) 						44	
GS10406	Dynamic (26)	0.28	8	18	520	526	221	
O.E. 6025 101 952								
RENAULT	ESPACE (01/91-10/96 J/S63)						40	
GS10407	Dynamic (26)	0.27	8	18	480	535	230	
O.E. 132741, 24411022								
OPEL	ASTRA (09/98-03/04) 						37	
VAUXHALL	ASTRA (09/98-03/04) 						44	
GS10408	Dynamic (26)	0.27	8	18	440	544	225	
O.E. 6482294, 6482295, 6568674, 6568675, 6614162, 6723082, 6900216, 91ABA406A10B1D, 91ABA406A10B1E, 93ABA406A10B, 93ABA406A10B1B								
FORD	ESCORT MK VI-VII 						29	
GS10409	Dynamic (26)	0.49	10	22	675	582	205	
O.E. 15013439, 15013440, 15050911, 15050912, 15068721, 15068722								
CHEVROLET	BLAZER (S10) (-) 						24	
GMC	JIMMY						30	
	JIMMY S15						30	
OLDSMOBILE	BRAVADA						37	
GS10410	Dynamic (26)	0.25	8	18	270	500	200	
O.E. 90453-1EA0A								
NISSAN	370 Z						36	
GS10411	Dynamic (26)	0.20	8	18	190	395	156	
O.E. 65470-9N00A, 65471-9N00A								
NISSAN	MAXIMA (A35)						36	
GS10412	Dynamic (26)	0.16	8	18	405	280	91	
O.E. 84430-9N00A								
NISSAN	MAXIMA (A35)						36	
GS10413	Dynamic (26)	0.26	8	18	475	510	210	
O.E. 90450-1AA0A, 90450-1AB0A, 90451-1AB0A								
NISSAN	MURANO						36	
GS10414	Dynamic (26)	0.20	8	18	310	380	120	
O.E. 65470-1AA0A, 65471-1AA0A, 67470-1AA0A								
NISSAN	MURANO						36	
GS10415	Dynamic (26)	0.14	8	18	470	240	80	
O.E. 84430-ET80A								
NISSAN	SENTRA						36	



	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
<b>GS10417</b>	<b>Hydraulic (27)</b>	<b>0.15</b>	<b>8</b>	<b>18</b>	<b>515</b>	<b>595</b>	<b>230</b>	
O.E.	7700 434 465, 7700 828 454							
RENAULT	MEGANE SCENIC							41
RENAULT	SCENIC (09/99-08/03)							41
<b>GS10418</b>	<b>Hydraulic (27)</b>	<b>0.15</b>	<b>8</b>	<b>18</b>	<b>600</b>	<b>494</b>	<b>190</b>	
O.E.	9638605280, 8731.F8							
PEUGEOT	307SW 3E/H							39
<b>GS10419</b>	<b>Hydraulic (27)</b>	<b>0.26</b>	<b>8</b>	<b>18</b>	<b>350</b>	<b>525</b>	<b>225</b>	
O.E.	6K6 827 550A							
SEAT	IBIZA (01/93-08/99)							42
<b>GS10420</b>	<b>Hydraulic (27)</b>	<b>0.15</b>	<b>8</b>	<b>18</b>	<b>350</b>	<b>526</b>	<b>221</b>	
O.E.	6K6 827 550							
SEAT	IBIZA (09/99-02/02)							42
<b>GS10421</b>	<b>Hydraulic (27)</b>	<b>0.25</b>	<b>8</b>	<b>18</b>	<b>360</b>	<b>520</b>	<b>224</b>	
O.E.	51023704, 8731.E6							
PEUGEOT	206 2A/C							38
	206 (T3E)							39
	206+							39
<b>GS10422</b>	<b>Hydraulic (27)</b>	<b>0.25</b>	<b>8</b>	<b>18</b>	<b>500</b>	<b>515</b>	<b>215</b>	
O.E.	333 827 550, 333 827 550A, 3A9 827 550							
VOLKSWAGEN	PASSAT Variant (04/88-05/97)							45
<b>GS10423</b>	<b>Dynamic (26)</b>	<b>0.20</b>	<b>8</b>	<b>18</b>	<b>350</b>	<b>130</b>	<b>620</b>	
O.E.	60664833							
ALFA ROMEO	156							19
<b>GS10424</b>	<b>Hydraulic (27)</b>	<b>0.20</b>	<b>8</b>	<b>18</b>	<b>355</b>	<b>110</b>	<b>350</b>	
O.E.	46739202							
ALFA ROMEO	147							19
	GT							19
<b>GS10425</b>	<b>Hydraulic (27)</b>	<b>0.22</b>	<b>8</b>	<b>18</b>	<b>440</b>	<b>171</b>	<b>370</b>	
O.E.	46771551, 50500057							
ALFA ROMEO	147							19
<b>GS10426</b>	<b>Hydraulic (27)</b>	<b>0.22</b>	<b>8</b>	<b>18</b>	<b>397</b>	<b>157</b>	<b>300</b>	
O.E.	60625448, 60654724							
ALFA ROMEO	156							19
	156							19
<b>GS10427</b>	<b>Hydraulic (27)</b>	<b>0.15</b>	<b>8</b>	<b>18</b>	<b>264</b>	<b>90</b>	<b>370</b>	
O.E.	60651067							
ALFA ROMEO	156							19
<b>GS10428</b>	<b>Hydraulic (27)</b>	<b>0.22</b>	<b>8</b>	<b>18</b>	<b>264</b>	<b>90</b>	<b>460</b>	
O.E.	60657685, 606576850							
ALFA ROMEO	156							19
<b>GS10429</b>	<b>Hydraulic (27)</b>	<b>0.30</b>	<b>8</b>	<b>18</b>	<b>600</b>	<b>260</b>	<b>250</b>	
O.E.	60688574							
ALFA ROMEO	159							19
	BRERA							19
	SPIDER							19
<b>GS10430</b>	<b>Hydraulic (27)</b>	<b>0.32</b>	<b>8</b>	<b>18</b>	<b>438</b>	<b>180</b>	<b>480</b>	
O.E.	60596879, 60658924							
ALFA ROMEO	166							19
<b>GS10431</b>	<b>Hydraulic (27)</b>	<b>0.20</b>	<b>8</b>	<b>18</b>	<b>280</b>	<b>100</b>	<b>390</b>	
O.E.	60622424							
ALFA ROMEO	166							19
<b>GS10432</b>	<b>Hydraulic (27)</b>	<b>0.27</b>	<b>10</b>	<b>22</b>	<b>500</b>	<b>200</b>	<b>560</b>	
O.E.	4L0 827 552C, 4L0 827 552E, 4L0 827 552F							
AUDI	Q7							21
<b>GS10433</b>	<b>Hydraulic (27)</b>	<b>0.31</b>	<b>8</b>	<b>18</b>	<b>485</b>	<b>200</b>	<b>170</b>	
O.E.	4L0 823 359							
AUDI	Q7							21
<b>GS10434</b>	<b>Hydraulic (27)</b>	<b>0.29</b>	<b>10</b>	<b>22</b>	<b>480</b>	<b>188</b>	<b>590</b>	
O.E.	4B9 827 552N							
AUDI	ALLROAD							20
<b>GS10435</b>	<b>Hydraulic (27)</b>	<b>0.21</b>	<b>8</b>	<b>18</b>	<b>298</b>	<b>85</b>	<b>730</b>	
O.E.	4F5 827 552, 4F5 827 552B							
AUDI	A6 (4F 04/04→)							20
	S6							20
<b>GS10436</b>	<b>Hydraulic (27)</b>	<b>0.38</b>	<b>8</b>	<b>18</b>	<b>721</b>	<b>320</b>	<b>180</b>	
O.E.	4F0 823 359, 4F0 823 359A							
AUDI	A6 (4F 04/04→)							20
	A6 (4F 04/04→)							20
	S6							20



	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
<b>GS10437</b>	<b>Hydraulic (27)</b>	<b>0.35</b>	<b>8</b>	<b>18</b>	<b>715</b>	<b>306</b>	<b>290</b>	
O.E.	8P0 823 359, 8P0 823 359B							
AUDI	A3 (08/03→)							19
	A3 (08/03→)							19
<b>GS10438</b>	<b>Hydraulic (27)</b>	<b>0.38</b>	<b>8</b>	<b>18</b>	<b>531</b>	<b>210</b>	<b>410</b>	
O.E.	8P4 827 552B							
AUDI	A3 (08/03→)							19
<b>GS10439</b>	<b>Hydraulic (27)</b>	<b>0.25</b>	<b>8</b>	<b>18</b>	<b>500</b>	<b>201</b>	<b>534</b>	
O.E.	8D9 827 552E, 8E9 827 552E							
AUDI	A4 (Avant →12/04)							20
<b>GS10440</b>	<b>Hydraulic (27)</b>	<b>0.32</b>	<b>8</b>	<b>18</b>	<b>404</b>	<b>170</b>	<b>625</b>	
O.E.	8N8 827 552B							
AUDI	TT							21
<b>GS10441</b>	<b>Hydraulic (27)</b>	<b>0.32</b>	<b>8</b>	<b>18</b>	<b>404</b>	<b>165</b>	<b>620</b>	
O.E.	8N8 827 552A							
AUDI	TT							21
<b>GS10442</b>	<b>Hydraulic (27)</b>	<b>0.22</b>	<b>8</b>	<b>18</b>	<b>405</b>	<b>170</b>	<b>170</b>	
O.E.	46735264, 47300075							
FIAT	BARCETTA							27
<b>GS10443</b>	<b>Dynamic (26)</b>	<b>0.33</b>	<b>8</b>	<b>18</b>	<b>515</b>	<b>222</b>	<b>360</b>	
O.E.	51751743, 51812267							
FIAT	BRAVO (10/06→)							27
<b>GS10444</b>	<b>Dynamic (26)</b>	<b>0.40</b>	<b>8</b>	<b>18</b>	<b>600</b>	<b>226</b>	<b>670</b>	
O.E.	8731.V0, 1354844080							
CITROËN	NEMO							25
FIAT	FIORINO							27
	QUBO							28
PEUGEOT	BIPPER							39
<b>GS10445</b>	<b>Hydraulic (27)</b>	<b>0.22</b>	<b>8</b>	<b>18</b>	<b>435</b>	<b>180</b>	<b>350</b>	
O.E.	51702090, 51778432							
FIAT	GRANDE PUNTO							27
	GRANDE PUNTO ACTUAL							27
	PUNTO (01/12→)							28
	PUNTO EVO (→07/11)							28
<b>GS10446</b>	<b>Dynamic (26)</b>	<b>0.20</b>	<b>8</b>	<b>18</b>	<b>213</b>	<b>70</b>	<b>200</b>	
O.E.	46559858							
FIAT	MULTIPLA							27
<b>GS10447</b>	<b>Hydraulic (27)</b>	<b>0.27</b>	<b>8</b>	<b>18</b>	<b>507</b>	<b>215</b>	<b>520</b>	
O.E.	46514867							
FIAT	MULTIPLA							27
<b>GS10448</b>	<b>Hydraulic (27)</b>	<b>0.27</b>	<b>8</b>	<b>18</b>	<b>503</b>	<b>210</b>	<b>280</b>	
O.E.	46827091							
FIAT	PANDA (09/03-01/12)							27
	PANDA CLASSIC (01/12→)							27
<b>GS10449</b>	<b>Dynamic (26)</b>	<b>0.32</b>	<b>8</b>	<b>18</b>	<b>440</b>	<b>166</b>	<b>420</b>	
O.E.	71743352, 71743353, 81850-79J00, 81860-79J00							
FIAT	SEDICI (→01/12)							28
	SEDICI (01/12→)							28
SUZUKI	SX4							42
<b>GS10450</b>	<b>Hydraulic (27)</b>	<b>0.17</b>	<b>6</b>	<b>15</b>	<b>155</b>	<b>45</b>	<b>400</b>	
O.E.	46730681							
FIAT	PUNTO (99-01/12)							28
<b>GS10451</b>	<b>Hydraulic (27)</b>	<b>0.35</b>	<b>8</b>	<b>18</b>	<b>455</b>	<b>179</b>	<b>380</b>	
O.E.	46524678							
FIAT	PUNTO (99-01/12)							27
<b>GS10452</b>	<b>Hydraulic (27)</b>	<b>0.26</b>	<b>8</b>	<b>18</b>	<b>473</b>	<b>190</b>	<b>480</b>	
O.E.	46830389							
FIAT	IDEA							27
LANCIA	MUSA							32
<b>GS10453</b>	<b>Hydraulic (27)</b>	<b>0.20</b>	<b>8</b>	<b>18</b>	<b>288</b>	<b>110</b>	<b>380</b>	
O.E.	51801718							
FIAT	LINEA							27
<b>GS10454</b>	<b>Hydraulic (27)</b>	<b>0.32</b>	<b>8</b>	<b>18</b>	<b>555</b>	<b>229</b>	<b>305</b>	
O.E.	8731.L0, 68950-0H010, 68950-0H020							
CITROËN	C1							25
PEUGEOT	107							38
TOYOTA	AYGO							43
<b>GS10455</b>	<b>Hydraulic (27)</b>	<b>0.25</b>	<b>8</b>	<b>18</b>	<b>458</b>	<b>190</b>	<b>380</b>	
O.E.	9641721980, 8731.H8							
CITROËN	C2							25












GS10476	Hydraulic (27)	0.30	8	18	600	200	425	
O.E. 1141159, 1224731, 2S51B406A10AC, 2S61A406A10AB								
FORD		FIESTA (11/01-09/08)					29	
GS10477	Hydraulic (27)	0.20	8	18	279	89	510	
O.E. 1336159, 1376673, 5M51F406A10AA, 5M51F406A10AB								
FORD		FOCUS (CAP 11/04-02/08) 					29	
GS10478	Hydraulic (27)	0.27	8	18	527	235	450	
O.E. 1136483, 1146649, XS41N406A10AH, XS41N406A10AJ								
FORD		FOCUS (CAK 98-11/04) 					29	
GS10479	Hydraulic (27)	0.52	8	18	583	260	420	
O.E. 1336230, 1349309, 4M51N406A10AA								
FORD		FOCUS (CAP 11/04-02/08) 					29	
GS10480	Hydraulic (27)	0.20	8	18	256	90	630	
O.E. 6844981, 93BBF406A10BB								
FORD		MONDEO (→10/00) 					29	
GS10481	Hydraulic (27)	0.16	8	18	256	85	500	
O.E. 6789158, 93BBF406A10AB								
FORD		MONDEO (→10/00) 					29	
GS10482	Hydraulic (27)	0.39	8	18	535	213	485	
O.E. 1117046, 1219984, 1S71A406A10AC, 1S71A406AD10AC								
FORD		MONDEO (10/00-08/07) 					29	
GS10483	Hydraulic (27)	0.32	8	18	556	240	475	
O.E. 1117394, 1S71N406A10AB								
FORD		MONDEO (10/00-08/07) 					29	
GS10484	Hydraulic (27)	0.32	8	18	548	228	475	
O.E. 1232189, 1S71N406A10AC								
FORD		MONDEO (10/00-08/07) 					29	
GS10485	Hydraulic (27)	0.29	8	18	538	195	385	
O.E. 90450-BM400, 90450-BM425								
NISSAN		ALMERA (03/00→) 					36	
GS10486	Hydraulic (27)	0.27	8	18	515	210	355	
O.E. 90450-JD01B								
NISSAN		QASHQAI					36	
GS10487	Hydraulic (27)	0.49	8	18	543	225	460	
O.E. 169 980 0864, 169 980 0964								
MERCEDES		B150						33
		B160						33
		B170						33
		B180						33
		B180CDI						33
		B200						33
		B200CDI						33
GS10488	Hydraulic (27)	0.33	8	22	433	171	473	
O.E. 208 880 0029, 208 880 0129								
MERCEDES		CLK55AMG						33
		CLK200						33
		CLK200K						33
		CKL230K						33
		CKL320						33
		CLK430						33
GS10489	Dynamic (26)	0.27	8	18	495	205	430	
O.E. 169 740 0045								
MERCEDES		A150						33
		A160						33
		A160CDI						33
		A170						33
		A180						33
		A180CDI						33
		A200						33
		A200CDI						33
GS10490	Hydraulic (27)	0.20	8	18	224	75	500	
O.E. 208 750 0036, 208 750 0336								
MERCEDES		CLK55AMG						33
		CLK200						33
		CLK200K						33
		CKL230K						33
		CKL320						33
		CLK430						33
GS10491	Dynamic (26)	0.22	10	22	235	70	850	
O.E. 163 880 0029								
MERCEDES		ML55AMG						34
		ML230						34
		ML270CDI						34
		ML320						34



	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
<b>GS10491</b>								
MERCEDES	ML350							34
	ML400CDI							34
	ML430							34
	ML500							34
<b>GS10492 Hydraulic (27) 0.35 8 18 640 266 510</b>								
O.E. 163 740 0045, 163 740 0345								
MERCEDES	ML55AMG							34
	ML230							34
	ML270CDI							34
	ML320							34
	ML350							34
	ML400CDI							34
	ML430							34
	ML500							34
<b>GS10493 Dynamic (26) 0.46 10 22 559 180 725</b>								
O.E. 164 740 0145, 164 740 0245								
MERCEDES	ML63AMG							34
	ML280CDI							34
	ML300CDI							34
	ML320CDI							34
	ML350							34
	ML350Bluetec							34
	ML350CDI							34
	ML420CDI							34
	ML450CDI							34
	ML500							34
<b>GS10494 Dynamic (26) 0.35 8 18 685 305 230</b>								
O.E. 220 880 0329								
MERCEDES	S55							34
	S63							34
	S280							34
	S320							35
	S320CDI							35
	S350							35
	S400							35
	S400CDI							35
	S430							35
	S500							35
	S600							35
<b>GS10495 Hydraulic (27) 0.36 8 18 690 280 640</b>								
O.E. 414 980 0064								
MERCEDES	VANEO (W414)							35
<b>GS10496 Hydraulic (27) 0.52 10 22 665 256 755</b>								
O.E. 639 980 0164, 639 980 0364								
MERCEDES	VIANO (W639)							35
	VITO109 CDI (W639 09/03→)							35
	VITO111 CDI (W639 09/03→)							35
	VITO115 CDI (W639 09/03→)							35
	VITO119 (W639 09/03→)							35
	VITO120CDI (W639 09/03→)							35
	VITO122 (W639 09/03→)							35
	VITO123 (W639 09/03→)							35
<b>GS10497 Hydraulic (27) 0.35 8 18 520 190 730</b>								
O.E. 90452-2F715, 90452-2F726								
NISSAN	PRIMERA (P11 09/96-07/02)							36
<b>GS10498 Dynamic (26) 0.35 8 18 520 185 665</b>								
O.E. 90452 2F725								
NISSAN	PRIMERA (P11 09/96-07/02)							36
<b>GS10499 Hydraulic (27) 0.34 8 18 527 200 575</b>								
O.E. 90452-AU200								
NISSAN	PRIMERA (P12 07/02→)							36
<b>GS10500 Hydraulic (27) 0.34 8 18 531 175 710</b>								
O.E. 90450-1W300, 90450-1W302, 90450-1W312, 90450-6W560								
NISSAN	PATHFINDER (R50)							36
<b>GS10501 Hydraulic (27) 0.32 8 18 508 210 600</b>								
O.E. 132719, 90341378								
OPEL	ASTRA (91-98)							37
VAUXHALL	ASTRA (91-98)							43
<b>GS10502 Hydraulic (27) 0.27 8 18 498 213 135</b>								
O.E. 132673, 132686, 132687, 97171730, 97171728, 97211748								
OPEL	FRONTERA B							37
VAUXHALL	FRONTERA B							44






	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
<b>GS10503 Dynamic (26) 0.36 8 18 650 282 250</b>								
O.E. 1178224, 1180012, 1180014, 13230270, 13241036, 24454473								
OPEL	SIGNUM							38
	VECTRA (C 04/02→)							38
	VECTRA (C 04/02→)							38
VAUXHALL	SIGNUM							44
	VECTRA (04/02→)							44
	VECTRA (04/02→)							44
<b>GS10504 Hydraulic (27) 0.33 8 18 485 204 700</b>								
O.E. 132865, 176538, 176609, 1324768, 9180256, 13191401								
OPEL	SIGNUM							38
VAUXHALL	SIGNUM							44
<b>GS10505 Hydraulic (27) 0.59 10 22 725 220 800</b>								
O.E. 132674, 132730, 132736, 132737, 10233373, 10324007, 10400854, 10400855								
OPEL	SINTRA							38
VAUXHALL	SINTRA							44
<b>GS10506 Hydraulic (27) 0.38 8 18 827 260 355</b>								
O.E. 132726, 132733, 444040, 465040, 8163440, 8194640, 90481180, 90481260								
OPEL	TIGRA							38
VAUXHALL	TIGRA							44
<b>GS10507 Hydraulic (27) 0.28 8 18 580 230 535</b>								
O.E. 9642209980, 8731.G5								
PEUGEOT	206SW (2E/K)							38
<b>GS10508 Hydraulic (27) 0.36 8 18 525 220 140</b>								
O.E. 9642210080, 8731.G4								
PEUGEOT	206SW (2E/K)							38
<b>GS10509 Hydraulic (27) 0.30 8 18 448 190 590</b>								
O.E. 9637115080, 8731.F2								
PEUGEOT	206CC (2D)							38
<b>GS10510 Hydraulic (27) 0.30 8 18 335 505 210</b>								
O.E. 9659789480, 8731.L7								
PEUGEOT	207							39
<b>GS10511 Dynamic (26) 0.35 8 18 440 460 185</b>								
O.E. 9657342180, 8731.O6								
PEUGEOT	308							39
<b>GS10512 Hydraulic (27) 0.20 8 18 250 445 172</b>								
O.E. 9636450380, 8731.E9								
PEUGEOT	406							39
<b>GS10513 Hydraulic (27) 0.14 8 18 850 195 60</b>								
O.E. 7925.05								
PEUGEOT	605							39
<b>GS10514 Hydraulic (27) 0.24 8 18 310 408 165</b>								
O.E. 9622165080, 8731.A1								
PEUGEOT	605							39
<b>GS10515 Hydraulic (27) 0.30 8 18 400 500 185</b>								
O.E. 8731.F9, 8731.G9, 8731.V4								
PEUGEOT	607							39
<b>GS10516 Hydraulic (27) 0.35 8 18 510 632 235</b>								
O.E. 8731.G6, 1489342080								
CITROËN	C8							25
FIAT	ULYSSE (08/02→)							28
LANCIA	PHEDRA							32
PEUGEOT	807							39
<b>GS10517 Hydraulic (27) 0.30 8 18 440 566 245</b>								
O.E. 8731.78, 9603762280								
PEUGEOT	309							39
<b>GS10518 Hydraulic (27) 0.32 8 18 450 566 240</b>								
O.E. 8731.79, 9603762380								
PEUGEOT	309							39
<b>GS10519 Hydraulic (27) 0.35 8 18 580 470 190</b>								
O.E. 8200 583 852								
RENAULT	CLIO GRAND TOUR							40
<b>GS10520 Dynamic (26) 0.21 8 18 385 450 190</b>								
O.E. 8200 299 546								
RENAULT	CLIO (06/05→)							40
<b>GS10521 Hydraulic (27) 0.18 6 15 130 447 185</b>								
O.E. 6025 306 563								
RENAULT	ESPACE (10/96-10/02)							40
<b>GS10522 Hydraulic (27) 0.21 8 18 730 560 225</b>								
O.E. 6025 300 735								
RENAULT	ESPACE (10/96-10/02)							40



	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
---	-------------------	------------------	--------------------------	-----------------------------	-------------------	--------------------------	-------------	---

GS10523	Hydraulic (27)	0.49	8	18	800	560	230	
O.E.	6025 305 941							
RENAULT	ESPACE (10/96-10/02)						40	
GS10524	Hydraulic (27)	0.28	8	18	470	395	155	
O.E.	8200 362 400							
RENAULT	ESPACE (11/02→)						40	
GS10525	Dynamic (26)	0.37	10	22	785	730	210	
O.E.	8200 021 974							
RENAULT	ESPACE (11/02→)						40	
GS10526	Hydraulic (27)	0.38	8	18	610	830	298	
O.E.	8200 197 806							
RENAULT	KANGOO 02/08→)						40	
GS10527	Hydraulic (27)	0.28	8	18	510	535	232	
O.E.	8200 000 903							
RENAULT	LAGUNA (03/01-09/07) 						40	
GS10528	Hydraulic (27)	0.26	8	18	585	513	220	
O.E.	8200 003 020							
RENAULT	LAGUNA (03/01-09/07) 						40	
GS10529	Dynamic (26)	0.23	8	18	535	513	220	
O.E.	8200 000 902							
RENAULT	LAGUNA (03/01-09/07) 						40	
GS10530	Hydraulic (27)	0.31	8	18	450	445	195	
O.E.	7701 057 303							
RENAULT	MEGANE (11/02-11/08) 						41	
GS10531	Dynamic (26)	0.24	8	18	350	344	131	
O.E.	8200 119 497							
RENAULT	MEGANE (11/02-11/08) 						41	
GS10532	Dynamic (26)	0.28	8	18	505	545	230	
O.E.	8200 119 498							
RENAULT	MEGANE (11/02-11/08) 						41	
GS10533	Dynamic (26)	0.39	8	22	515	535	170	
O.E.	8200 219 322							
RENAULT	MODUS						41	
GS10534	Hydraulic (27)	0.17	8	18	135	363	147	
O.E.	8200 130 187							
RENAULT	GRAND SCENIC (04/04-04/09)						40	
	SCENIC (08/03-01/09)						41	
GS10535	Hydraulic (27)	0.31	6	15	502	215	125	
O.E.	7700 838 006							
RENAULT	LAGUNA (→03/01) 						40	
GS10536	Dynamic (26)	0.27	8	18	495	206	610	
O.E.	8443 000 01R							
RENAULT	LAGUNA (10/07→) 						40	
GS10537	Dynamic (26)	0.26	8	18	500	215	470	
O.E.	6L6 827 550B							
SEAT	IBIZA (6L1 02/02-11/09)						42	
GS10538	Hydraulic (27)	0.32	8	18	575	235	330	
O.E.	1M0 823 359A							
SEAT	LEON (1M1 →06/06)						42	
	TOLEDO (1M2 →06/06)						42	
GS10539	Hydraulic (27)	0.38	8	22	870	375	240	
O.E.	5P5 827 550A							
SEAT	TOLEDO (5P2 09/04→)						42	
GS10540	Hydraulic (27)	0.25	8	18	452	190	350	
O.E.	1133865, YM2116C826AB, 7M3 823 359A							
FORD	GALAXY						30	
SEAT	ALHAMBRA						41	
VOLKSWAGEN	SHARAN						46	
GS10541	Hydraulic (27)	0.37	8	18	735	325	300	
O.E.	1Q0 823 359							
VOLKSWAGEN	EOS (→11/10)						45	
	EOS (11/10→)						45	
GS10542	Hydraulic (27)	0.27	8	18	500	210	375	
O.E.	1Q0 827 550B							
VOLKSWAGEN	EOS (→11/10)						45	
	EOS (11/10→)						45	
GS10543	Hydraulic (27)	0.38	8	18	735	315	350	
O.E.	3C0 823 359, 3C0 823 359A							
VOLKSWAGEN	PASSAT (06/05-11/10) 						45	
	PASSAT Variant (06/05-11/10) 						46	
GS10544	Hydraulic (27)	0.28	8	18	375	150	390	
O.E.	3C5 827 550A, 3C5 827 550B, 3C5 827 550C, 3C5 827 550D							
VOLKSWAGEN	PASSAT (06/05-11/10) 						45	

	Damping Type (49)	Weight (kg) (50)	Piston Rod Diameter (51)	Cylinder Tube Diameter (52)	Force (N) F1 (53)	Max Extended Length (54)	Stroke (55)	
---	-------------------	------------------	--------------------------	-----------------------------	-------------------	--------------------------	-------------	---

GS10545	Hydraulic (27)	0.24	8	18	453	181	550	
O.E.	3C9 827 550A, 3C9 827550C							
VOLKSWAGEN	PASSAT Variant (06/05-11/10) 						46	
GS10546	Hydraulic (27)	0.26	8	18	500	210	310	
O.E.	6Q0 823 359, 6Q0 823 359A, 6Q0 823 359C							
VOLKSWAGEN	POLO 						46	
GS10547	Dynamic (26)	0.32	8	18	403	162	460	
O.E.	1T0 823 359A, 1T0 823 359C							
VOLKSWAGEN	TOURAN (→05/10)						46	
GS10548	Hydraulic (27)	0.27	8	18	506	166	770	
O.E.	1T0 827 550C, 1T0 827 550E							
VOLKSWAGEN	TOURAN (→05/10)						46	
GS10549	Hydraulic (27)	0.33	8	22	483	190	740	
O.E.	4B9 827 552H							
AUDI	A6 AVANT (4B →05) 						20	
GS10550	Hydraulic (27)	0.33	8	22	483	190	690	
O.E.	4B9 827 552C, 4B9 827 552J, 4B9 827 552L, 4B9 827 552M							
AUDI	A6 AVANT (4B →05) 						20	
GS10551	Hydraulic (27)	0.27	8	18	530	220	245	
O.E.	4D0 823 359F							
AUDI	A8						20	
GS10552	Hydraulic (27)	0.32	8	18	587	241	215	
O.E.	90451-4F110							
NISSAN	MICRA (K11 08/92-02/03)						36	
GS10553	Hydraulic (27)	0.32	8	18	587	241	215	
O.E.	90450-4F110							
NISSAN	MICRA (K11 08/92-02/03)						36	
GS10554	Hydraulic (27)	0.37	6	15	110	530	230	
O.E.	8200 000 896							
RENAULT	LAGUNA (10/07→) 						40	